







STAIRCASES

Stair production at ARU Grupp and supported by ARU Joinery is based on 12 years of experience combined with world-class software solutions and CNC technology.

- _Materials: oak, pine, spruce
- Finishings: stain, lacquer, paint, oil
- Wide variety of models
- Custom-made according to customer specifications





FOLDING PATIO 6080

The FOLDING PATIO is an inward-opening slide/fold terrace door, using the same width profiles as for TILT&TURN windows. These doors are made of triple-layered laminated timber, using pine, oak or meranti.

- opens inward _
- double or triple glazing _
- suits openings as wide as 6m
- optional combination in/outside locking possibility optional jamb extensions















SLIDING PATIO 3130S

Our SLIDING PATIO doors are made of triple-layered laminated timber, using pine, oak or meranti. These doors are visually similar to the TILT&TURN windows, using the same 68 mm or 78 mm width profiles.

inward opening

- consists of one TILT&TURN section and one fixed section
- double or triple glazing easy to combine with TILT&TURN windows
- insect screen in a metal frame, installed with hinges outside the sash
- optional jamb extensions
- easily create continuous window line with side-by-side installation
- optional intermediate and corner posts
- optional aluminium casing
- optional use of 78 mm wood profiles
- optional combination in/outside locking possibility






PATIO DOORS

SLIDING PATIO GU-937

A slide/slide opening terrace door. These doors are made of laminated timber in pine, oak and meranti.

- _ sliding door with parallel door elements
- possibility for several side-by-side sliding elements
- creates convenient access to balconies
- _ ideal for larger openings
- double glazing
- thin hardwood or aluminium threshold
- optional combination in/outside locking possibility













DANISH TYPE BALCONY DOOR

The DANISH type balcony door opens outwards and is an ideal solution for use in conjunction with CASEMENT windows, as the same dimensions and profiles are used in these products. These doors are made of laminated timber in pine, oak or meranti.

- _ opens outwards
- double glazing
- glazing from outside
- bottom glazing bead from aluminium
- oak, aluminium or combination threshold
- wind break integrated into handle
- optional ventilation slot
- optional handle lock (children s lock)
- optional insect screen
- optional jamb extensions



BALCONY DOORS

TILT & TURN BALCONY DOOR

Our inward-opening TILT&TURN balcony door can be easily combined with TILT&TURN windows, as the same profiles and dimensions are used.

- _ double or triple glazing
- ROTO brand hardware system with integrated sash-fixed security points
- hardware height and width adjustment
- _ wide variety of window grilles, e.g. removable easy-clean grilles
- variety of window handles and hardware
- easily create continuous window line with side-by-side installation
- hidden microventilation
- bottom horizontal profiles covered with aluminium
- _ optional in/outside locking possibility
- _ custom-made according to customer specifications










Flush Doors



FLUSH DOOR

The ARU GRUPP FLUSH DOOR suits a modern environment. Our doors are made according to the custom dimensions and design indicated by the customer. Advanced CNC technology can be used to create complex patterns, glazing styles, etching and designs.

- rebated or non-rebated door leaf
- insulated 40 mm door leaf
- vertically- or horizontally-placed natural veneers variety of styles
- numerous glazing possibilities standard jamb width 92 mm
- optional jamb width according to customer specification
- hardwood threshold
- optional locking systems
- finishing with paint, oil, lacquer or stain and lacquer
- custom-made according to customer specifications


Large variety models available. Please see following page for a brief selection.







Panel Doors



INTERIOR DOORS

PANEL DOOR

A traditional wooden door, suitable for a wide variety of interiors.

These custom doors are made with either wooden panels or glass panes, according to the dimensions and designs indicated by the customer.

Product Features:

- _ solid wood (pine, oak, ash, birch)
- rebated or non-rebated door leaf
- _ classical design
- _ variety of styles
- _ numerous glazing possibilities
- standard jamb width 92 mm
- _ optional custom jamb width to customer specifications
- _ hardwood threshold
- _ optional locking systems
- finishing with paint, oil, lacquer, or stain and lacquer
- _ custom made according to customer specifications

Models:

Large variety models available. Please see following page for a brief selection.






15



Classical Type



CLASSICAL TYPE

Outwards opening external door with a 50 mm wooden sash and wooden panels or profile blanking. This type of door is suitable to be used in renovated buildings. Often it is also used as an internal corridor door. The CLASSICAL type door is available in pine, oak, or meranti.

Product Features:

- _ opens outwards
- different glazing possibilities
- optional arched horizontal upper doorpost with glazing
- variety of Scandinavian and DIN locks
- security hinges with height and width adjustments
- hardwood threshold
- thickness of the door leaf 50 mm
- excellent choice for country houses
- custom made according to customer specifications

Models:

Large variety of models available. Please see following page for a brief selection.






13



German Type



GERMAN TYPE

An inward-opening external door which is especially suitable for use as the main entrance of a building. The GERMAN type door is available in pine, oak or meranti.

Product Features:

- opens inwards
- solid wood panelled door
- _ inside, glass and insulated panels are fixed using timber______slips
- classical design
- 1-or 3-point DIN lock
- oak or aluminium threshold
- security hinges with 3-dimensional adjustment
- thickness of door leaf is 68 mm
- custom-made according to customer specifications

Models:


Large variety of models available. Please see following pages for a brief selection.







Danish Type



DANISH TYPE

This is an outward-opening external door, using panels with U-value of 1,3 W/m⁺ as filling. The DANISH type door is particularly suitable as the main or side entrance to lighter buildings. Available in pine, oak or meranti.

Product Features:

- opens either outwards or inwards
- outside, glass and insulated panels are fixed using rubber gaskets and timber slips
- _ aluminium drip sills protect horizontal surfaces
- 1-or 3-point lock from ASSA
- oak, aluminium or combined material threshold
- security hinges with height and width adjustments inside door stopper
- thickness of door leaf 60 mm
- standard jamb width 115 mm; optional 95 mm or 68 mm optional letterbox
- _ optional peephole
- custom-made according to customer specifications

Models:


_ Large variety of models available. Please see following page for a brief selection.







EXTERNAL DOORS



EXTERNAL DOORS

ARU JOINERY offers both classic wooden external doors and external flush doors. Depending on the building use and overall design, customers can choose between different opening options and constructions. Wooden external doors (Danish, German and classical type) are available in pine, oak or meranti.

Every customer can find a suitable and complementary solution from our options of door design and finishing. Our doors are custom-made according to customer specifications on size and dimension.

FLUSH DOOR

The most common type of external door. Customers can choose between painted FLUSH doors and doors with natural veneers. Advanced CNC technology can be used to create a variety of complex patterns, glazes, and designs.

- opens either outwards or inwards
- _ modern design, variety of styles
- _ milled surface patterns
- special custom glazing patterns
- double gasket system
- security hinges with height and width adjustments
- thickness of door leaf 60 mm
- custom-made according to customer specifications












BRAGA IV68


As with the CORA and MIRA, the inside of this window is wooden, and the outside is cased in aluminium. However, unlike the MIRA, the BRAGA s outer sash and frame are flush, on the same level. The BRAGA features a very sleek, minimalist profile.

Traditional glazing beads are not used, to allow for a thicker glazing that provides exceptionally effective heat insulation and soundproofing.










TILT & TURN WOOD/ALUMINIUM WINDOWS

We offer three types of wood/aluminium TILT & TURN windows:

CORA IV68 / IV78

A standard timber window is covered with aluminiumprofiles from the outside. Other details are similar to those of the Classic TILT & TURN window.





MIRA IV68

The inner portion of this window is wooden, and the outer is cased in aluminium. On the outside, the frame and sash are not flush, but are on different levels. Traditional glazing beads are not used, to allow for a thicker glazing that provides exceptionally effective heat insulation and soundproofing.





TILT&TURN WINDOWS

Our inward-opening TILT&TURN windows feature a reliable and adaptable fitting system to which outsidesurface insect screens can be easily and securely attached. Thanks to single-frame construction, these windows have only two washable surfaces. Made of laminated timber in pine, oak, or meranti.

TILT & TURN IV68

Classic TILT&TURN style, with a 68 mm wooden profile.

- double or triple glazing
- ROTO hardware system with sash-fixed security points hardware height and width adjustment
- wide variety of window grilles
- rebate on exterior window sill
- create continuous window line with side-by-side installation hidden microventilation
- bottom horizontal profiles covered with aluminium
- custom-made according to customer specifications



TILT & TURN IV78

The Northern-style TILT&TURN with a 78 mm wooden profile features additional soundproofing and insulating glazing (U = > 0,7) in addition to all the standard functions and features of the Classic TILT&TURN style above.











CASEMENT WINDOWS

The CASEMENT window is a single-sash window that opens outwards, either from the side or from the bottom. Made of laminated timber, it is available in pine, oak, or meranti.

This window maximizes its pane-to-frame ratio for the widest possible view to the outdoors - especially important when dealing with smaller overall window areas. Its lean frame profile and straightforward fit makes this window ideal for use in renovated older buildings.

- _ opens outwards
- side or top hung
- _ double glazed
- slim frame profile with maximum pane area
- standard jamb 115 mm; optional 95 mm and 68 mm swing-opening possibilities
- _ bottom glazing bead from aluminium
- _ custom-made according to customer specifications
- **NEW** optional aluminium casing





WINDOWS

We offer timber and alu-clad windows in 3 basic varieties: CASEMENT, TILT & TURN, and SASH windows, with a vast array of design and construction options.

Our product range covers the needs of all architectural styles, available in a wide choice of material, including pine, oak, and meranti. ARU windows are custom-made according to customer specifications.

SASH WINDOW

The traditional timber window that is characteristic of residential UK & Ireland is an up-and-down sliding SASH window, made of triple-layered laminated timber. Pine, oak and meranti can be used to make these windows.

- _ vertical sliding
- single frame
- _ double glazed
- _ pretensioned balances
- _ secure interior sash lock
- custom-made according to customer specifications









ARU JOINERY

Timber Processing since 1994

WINDOWS DOORS STAIRCASES