

### FIRST FLOOR (PANEL)

- OSB 22
- CEILING BEAM 220
- ⊗ INSULATION 200
- ⊗ VAPOUR BARRIER
- ⊗ VENTILATION SLAT 22
- ⊗ PLASTER BOARD 13 /
- ⊗ CEILING BOARD 11


### INTERNAL WALL

- ⊗ PLASTERBOARD 13/ PANELING
- OSB 12
- FRAME 195/ 145/ 95
- ⊗ INSULATION 195/ 145/ 95
- ⊗ OSB 12
- ⊗ PLASTERBOARD 13/ PANELING

### ROOF

- ⊖ ⊗ ROOF COVERING
- ⊗ ROOFING SLAT
- ⊗ VENTILATION SLAT
- ⊗ ROOFING UNDERLAY
- OSB 15/ 12
- VENTILATION SLAT 50
- WIND BARRIER
- RAFTER 195
- ROCKWOOL 200
- VAPOUR BARRIER
- EXTRA INSULATION SLAT 50
- ⊗ EXTRA INSULATION 50
- ⊕ ⊗ PLASTERBOARD 13

INSULATION 200  
 INSULATION 50  
**U=0,16**



### EXTERNAL WALL

- ⊖ TIMBER PANELING
- VENTILATION SLAT
- WIND BARRIER (IN CORNERS)
- OSB 12
- FRAME 195/ 145/ 95
- ROCKWOOL 200/ 150/ 100
- VAPOUR BARRIER
- EXTRA INSULATION SLAT 50
- ⊗ EXTRA INSULATION 50
- ⊕ ⊗ PLASTERBOARD 13/ PANELING

INSULATION 150  
 INSULATION 50  
**U=0,23**

### FLOOR

- ⊕ ⊗ FLOOR BOARD 28
- ⊗ INSULATION 200
- ↓ FLOOR JOIST 220,
- ⊖ OSB 8

WINDOWS - A  
BALCONY DOORS - RU  
ENTRANCE DOORS - VU  
INTERNAL DOORS - SU

⊗ - IS NOT INCLUDED